WedgeLink AT

Supported Keyboard Layouts

Nov 2022

WedgeLink Keyboard Wedges

MICRORIDGE

Measurement Collection Specialists
Connect Any Gage into Any Software

Supported Keyboards

- USA / Canada
- UK / Australia
- Latin America / Mexico
- French
- Belgium
- German

WedgeLink Keyboard Wedges

MICRORIDGE

Keyboards Layouts

- To view the supported keyboard layouts
  - Open the WedgeLink AT Setup program
  - Open the ComTestSerial test program **S/P**
  - Type **<ESC>ck** in the upper window
    - Upper case (CK) or lower case (ck) is acceptable
    - See next slide for results

WedgeLink Keyboard Wedges

MICRORIDGE

Measurement Collection Specialists
Connect Any Gage into Any Software

<ESC>ck results

```
{Esc}ck

The WedgeLink AT Keyboard Wedge can emulate several different keyboard types.
The keyboard type for WedgeLink AT must match the keyboard type for your PC.

The keyboard type can be changed by sending one of the following commands from
ComTestSerial to the WedgeLink AT.  Each command is 5 characters long (<$:KU, etc.).
All characters in the command should be upper case.  A carriage return (Enter key)
is not required at the end of the command.
   <$:KU    English (United States, QWERTY)
   <$:KB    French (Belgium, AZERTY)
   <$:KF    French (France, AZERTY)
   <$:KG    German (Germany, QWERTZ)
   <$:KM    Spanish (Mexico, QWERTY)
   <$:KK    English (United Kingdom, QWERTY)

When one of the keyboard type commands is sent to a WedgeLink AT, a response from
the WedgeLink AT shows what the previous keyboard type was and what the new keyboard
type is.


Example:

<$:KF
Previous keyboard type = English (United States, QWERTY)
New keyboard type       = French (France, AZERTY)
```

WedgeLink Keyboard Wedges

MicroRidge

Change Layout

- Switch to the Spanish (Mexico / Latin America) layout
  - Open ComTestSerial program

  - Type **<ESC>$:KM** in the lower "Local Commands" window
    - **\x1b$:KM** will display in window
    - Click on the **Send** button

  - New layout is acknowledged in the upper window
    - See next slide for results

MICRORIDGE

<ESC>$:KM results

WedgeLink Keyboard Wedges

To Use New Layout

- Close WedgeLink AT Setup & ComTestSerial programs

- Move USB cable to the "Wedge" port

- All output will now use the selected keyboard layout

RS-232 & Prog

Wedge

WedgeLink Keyboard Wedges

MICRORIDGE

Technical Support

- For assistance changing the keyboard layout, contact MicroRidge Tech Support at 541-593-1656

- Office hours are:

  - Monday-Friday, 8am – 4:30pm Pacific

WedgeLink Keyboard Wedges

MICRORIDGE