## MobileCollect Wireless MicroBase EVO USB C P/N: MC-MB-EVO-C





Wedge Output

Output RM2.4 Wirele

## **Features**

- Small form factor for data collection with mobile devices
- USB Serial & Keyboard Wedge Output
- · Receives data from all MobileCollect Transmitters
- Supports data collection from:
  - Mitutoyo U-Wave-T, TC, & TM Transmitters
  - CDI "Long-Range" Indicators
- Range of up to 130 ft / 40 m
- 3 Status LEDs
- Field upgradable firmware
- Customizable via MobileCollect Software



## **Specifications**

Full Dimensions	1.54" x 0.71" x 0.41" (L x W x H) 39.1mm x 18.0mm x 10.4mm	Range	130 feet / 40 meters
		<b>Data output Format</b>	RS-232 via USB/Keyboard Wedge
<b>Exposed Dimensoins</b>	1.33" x 0.71" x 0.40" (L x W x H)		
(plugged in)	33.8mm x 18.0mm x 10.2mm	Wireless Protocol	RM2.4 conforming to IEEE
			802.15.4, 2.4 GHz ISM Band
Weight	0.18 oz		
_	5.1 g	Frequency Range	Tx: 2.402 to 2.480 GHz
	· ·		Rx: 2.402 to 2.480 GHz
Case Material	ABS		
		Radio Power	0.267 mW (-5.73 dBm)
Read Switch Ports	None		,
		Radio Duty Cycle	<1% typical, 4.1% peak
LED Status Lights	Green - Power	,	71 / 1
· ·	Yellow - Data Received	Operating Temp &	32°F (0°C) to 122°F (50°C)
	Red - Data Sent	Humidity	90% humidity; non-condensing
		Certifications	FCC, IC, CE, ROHS, REACH



